

5.8 GHz OFDM Broadband Ethernet Bridge / Serial Gateway

Responding to industry demands for greater speed and throughput, the VIP5800 brings long-range wireless network communications to a new performance level. The VIP5800 provides both serial and Ethernet high speed support.

54Mbps

Extended Temperature

Ethernet + Serial

Long Range

MESH



Applications

- High-speed Backbone
- IP Video surveillance
- Voice over IP (VoIP)
- Ethernet Wireless Extension
- Legacy Network/Device Migration
- SCADA (PLC's, Modbus, Hart)
- Facilitating Internetwork wireless communications

Features

- Up to 54Mbps data rate
- Adaptive modulation
- LAN and WAN dual ports
- AP may be configured as router
- WDS station bridge
- User-configurable firewall functions
- Serial gateway (RS232/485/422)
- Comprehensive encryption support (not available on export versions)
- RADIUS server authentication
- Remote administration
- Quality of service (QoS) support
- Firewall and VPN
- Wireless firmware upgrade capable
- Supports 5, 10, 20 MHz Channelization

VIP5800

Specifications



Frequency	5.8 GHz	Diagnostics	Temperature, SNR, Remote Diagnostics	
Radio Operation	IEEE 802.11a, 5GHz	Rejection	Excellent strong signal interference & rejection characteristics	
Spread Method	OFDM/QPSK/16QAM/64QAM	Input Voltage	9-30VDC	
Link Rate	Up to 54Mbps	Connectors	Antenna RP-TNC Female Bulkhead	
Error Detection	ARQ		Serial Data RS232 DB-9F Locking terminal connector	
Encryption	64/128-bit WEP/WPA, WPA2 (not available for export)		Ethernet RJ-45 (x2)	
Range	Up to 10 miles (16 km) (Antenna Dependant)		Console RS-232 DB-9F	
Sensitivity	-94dBm @ 6Mbps -74dBm @ 54Mbps	Environmental	-40°F to 175°F (-40°C to +85°C) 5-95% humidity, non-condensing	
Output Power	Up to 28dBm	Weight	Approx. 0.7 lbs (318g)	
Ports	Serial Data	RS232: RxD, TxD, RTS, CTS, DCD, DSR, DTR RS422: Tx+, Tx-, Rx+, Rx- RS485: 4-wire/2-wire 300bps to 921kbps	Dimensions	Approx. 5.30" x 3.50" x 1.125" (135mm x 89mm x 29mm)
	Serial Console	RS232: RxD, TxD	Approvals	FCC Part 15.247 IC RSS210
	LAN Ethernet	10/100BaseT IEEE802.3		
	WAN Ethernet	10/100BaseT IEEE802.3		
	Network Protocols	TCP, UDP, TCP/IP, ARP, ICMP, DHCP, HTTP, SNMP, FTP, Serial over IP, QoS, VoIP		
Operating Modes	Access Point, Station, Repeater, Ad hoc, Mesh			
Management	Local Serial Port Console, Telnet, WebUI, SNMP, FTP Upgrade, RADIUS authentication			

Order Options

-C1D2	Class 1 Div 2 (for use in hazardous environments)
--------------	---

Contact Information

Copyright 2010 Microhard Systems Inc.
Specifications subject to change without notice.

Microhard Systems Inc.
150 Country Hills Landing N.W.
Calgary, AB, Canada T3K 5P3

Email: info@microhardcorp.com
Tel: (403) 248-0028
Fax: (403) 248-2762



www.microhardcorp.com