

LTE (Main/Diversity) Dual Band Puck Antenna

The Dual LTE Antenna is a rugged, dual band, dual LTE connection antenna for use with Microhard cellular modems. This dual band antenna features dual LTE connections for Main & Diversity Antennas. Available in either a permanent mount, ideal for applications where the antenna will be permanently mounted, or a temporary magnetic mount options.

LTE / 4G Dual Band

Permanent or Magnetic

Main / Diversity

1-4 dBi Gain

Weather Proof



Permanent Mount

Magnetic Mount

Specifications

Frequency Range	700 - 960 MHz & 1700 - 2700 MHz	Connector (LTE x2)	SMA Male
Gain	1-4 dBi	Dimensions	45mm H x 80mm OD (Base)
Output Impedance	50 Ohm	Humidity	40% to 95% RH
VSWR	< 2.5	Cable	RG174 - 2' (Permanent) RG174 - 12' (Magnetic Mount)
Polarization	Linear Vertical	Order Options	Permanent Mount: MHS035470 Magnetic Mount: MHS035480
Temperature	-40°C to +85°C		

Contact Information



Microhard Systems Inc.
150 Country Hills Landing N.W.
Calgary, AB, Canada T3K 5P3

Email: info@microhardcorp.com
Tel: (403) 248-0028
Fax: (403) 248-2762


Copyright 2018 Microhard Systems Inc.
Specifications subject to change without notice.




LTE Connection #1





H-PLANE




E-PLANE



LTE Connection #2



H-PLANE



E-PLANE

